SWX-48 4K LCD Digital Poster

www.swedx.co.uk

SWEDX UK

- Android 11
- Powerful CPU
- 500 Nits High Brightness
- 4K UHD Display
- Dual 5W Stereo Speakers
- High Response Time
- Multi-Media Support
- Bluetooth 4.0



Features & Details

The SWX-48 is a 48-inch stretched bar Android advertising display delivering 4K UHD clarity with a 500 nit IPS panel, wide viewing angles, and powerful Amlogic T982 processing for smooth, responsive performance. Ideal for retail shelves, transport hubs, and menu boards, this display offers rich media playback, versatile connectivity, and a slim profile to enhance visual communication in high-traffic environments.



System	CPU	Amlogic T982
	RAM	4GB
	Internal memory	32GB
	Operation system	Android 11.0
Display	Panel	LCD IPS panel
	Resolution	3840*720 Pixel
	Display mode	Normally black ,IPS
	Viewing angle	89/89/89/89(L/R/U/D)
	Contrast ratio	1200:1
	Luminance	500cd/m2
	Response time	8ms
Network	WiFi	802.11b/g/n
	Ethernet	10M/100M ethernet
	Buletooth	Bluetooth 4.0
Interface	Card slot	TF card
	USB x 2	USB Host
	HDMI	HDMI out x1
	RJ45	RJ45
	Serial port	USB for serial port
	Power jack	DC power input
	Earphone	3.5mm earphone
Media play	Video format	MPEG1,MPEG2,MPEG4,H263,H264, VC1,RV etc (Support (720P,1080I,1080P))
	Audio format	MP3/WMA/AAC etc.
	Photo	JPEG,JPG,BMP,PNG
Others	Speaker	2*5W
	Power consumption	96W
	Working temp	-10-50degree
	Working humidity	0-80%
	Certificates	PSE/FCC/CE etc.with extra cost
	Language	Multi-language
Accessories	Adapter	Adapter,Input 110-220V,50-60Hz,Output 12V

Estimated Delivery Time - **25 Days**

Model Numbers -

- SWX-K1004-48

SWX-47 4K LCD Digital Poster

- Android 11
- Powerful CPU
- 500 Nits High Brightness
- 4K UHD Display
- Dual 5W Stereo Speakers
- Wide 178° viewing angles
- Multi-Media Support
- Bluetooth 4.0

Features & Details

The SWX-47 is a 47.1-inch stretched bar Android display with a 4K UHD resolution of 3840×160, delivering vivid imagery through a bright 500nit IPS panel and wide 178° viewing angles. Perfect for shelf-edge signage, transport information boards, and promotional displays, this slim design offers versatile connectivity, rich media support, and reliable performance for continuous use in high-traffic areas.

System	CPU	Rockchip RK3568
	RAM	2GB
	Internal memory	16GB
	Operation system	Android 11.0
Display	Panel	LCD IPS panel
	Resolution	3840*160 Pixel
	Display mode	Normally black ,IPS
	Viewing angle	89/89/89/89(L/R/U/D)
	Contrast ratio	1200:1
	Luminance	500cd/m2
	Response time	8ms
Network	WiFi	802.11b/g/n
	Ethernet	10M/100M ethernet
	Buletooth	Bluetooth 4.0
Interface	Card slot	TF card
	USB x 2	USB Host
	HDMI	No
	RJ45	No
	Serial port	USB for serial port
	Power jack	DC power input
	Earphone	3.5mm earphone
Media play	Video format	MPEG1,MPEG2,MPEG4,H263,H264, VC1,RV etc (Support (720P,1080i,1080P))
	Audio format	MP3/WMA/AAC etc.
	Photo	JPEG,JPG,BMP,PNG
Others	Speaker	2*5W
	Power consumption	60W
	Working temp	-10-50degree
	Working humidity	0-80%
	Certificates	PSE/FCC/CE etc.with extra cost
	Language	Multi-language
Accessories	Adapter	Adapter,Input 110-220V,50-60Hz,Output 12V5A

Estimated Delivery Time - **25 Days**

Model Numbers -

- SWX-K1104-47

SWX-77 4K LCD Digital Poster

www.swedx.co.uk

SWEDX UK

- Android 11
- Powerful CPU
- 500 Nits High Brightness
- 4K UHD Display
- Dual 5W Stereo Speakers
- Wide 178° viewing angles
- Multi-Media Support
- Bluetooth 4.0

Features & Details

The SWX-77 is a 77.5-inch stretched bar Android display with 4K UHD resolution, a 500nit IPS panel, wide viewing angles, and a powerful Amlogic T982 CPU for smooth, high-quality performance. Perfect for large retail signage, transport hubs, and immersive digital displays, this ultra-wide screen offers versatile connectivity, brilliant clarity, and rich media playback for impactful visual communication.

System	CPU	Amlogic T982
	RAM	4GB
	Internal memory	32GB
	Operation system	Android 11.0
Display	Panel	LCD IPS panel
	Resolution	3840*1080 Pixel
	Display mode	Normally black ,IPS
	Viewing angle	89/89/89/89(L/R/U/D)
	Contrast ratio	1200:1
	Luminance	500cd/m2
	Response time	8ms
Network	WiFi	802.11b/g/n
	Ethernet	10M/100M ethernet
	Buletooth	Bluetooth 4.0
Interface	Card slot	TF card
	USB x 2	USB Host
	HDMI	HDMI out x1
	RJ45	RJ45
	Serial port	USB for serial port
	Power jack	DC power input
	Earphone	3.5mm earphone
Media play	Video format	MPEG1,MPEG2,MPEG4,H263,H264, VC1,RV etc (Support (720P,1080i,1080P))
	Audio format	MP3/WMA/AAC etc.
	Photo	JPEG,JPG,BMP,PNG
Others	Speaker	2*5W
	Power consumption	96W
	Working temp	-10-50degree
	Working humidity	0-80%
	Certificates	PSE/FCC/CE etc.with extra cost
	Language	Multi-language
Accessories	Adapter	Adapter,Input 110-220V,50-60Hz,Output 12V

Estimated Delivery Time - **25 Days**

Model Numbers -

- SWX-K1204-77

SWX-34 4K LCD Digital Poster

www.swedx.co.uk

SWEDXUK

Android 11

96W Power Consumption

500 Nits High Brightness

4K UHD Display

Dual 5W Stereo Speakers

WiFi/ Ethernet

Multi-Media Support

Bluetooth 4.0

Features & Details

The SWX-34 is a premium 34.8-inch stretched bar display delivering 4K UHD clarity with vibrant colours and a 500 cd/m² brightness. Powered by Android 11 and Amlogic T982, it offers smooth performance, versatile connectivity, and robust multimedia compatibility. Perfect for retail shelf-edge signage, transportation hubs, corporate reception areas, and menu boards, this ultra-wide display excels in environments needing crisp, panoramic visuals to enhance engagement and communication.

System	RAM	4GB
	Internal memory	32GB
	Operation system	Android 11.0
Display	Panel	LCD IPS panel
	Resolution	3840*430 Pixel
	Display mode	Normally black ,IPS
	Viewing angle	89/89/89/89(L/R/U/D)
	Contrast ratio	1200:1
	Luminance	500cd/m2
	Response time	8ms
Network	WiFi	802.11b/g/n
	Ethernet	10M/100M ethernet
	Buletooth	Bluetooth 4.0
Interface	Card slot	TF card
	USB x 2	USB Host
	HDMI	HDMI out x1
	RJ45	RJ45
	Serial port	USB for serial port
	Power jack	DC power input
	Earphone	3.5mm earphone
Media play	Video format	MPEG1,MPEG2,MPEG4,H263,H264, VC1,RV etc.(Support (720P,1080I,1080P))
	Audio format	MP3/WMA/AAC etc.
	Photo	JPEG,JPG,BMP,PNG
Others	Speaker	2*5W
	Power consumption	96W
	Working temp	-10-50degree
	Working humidity	0-80%
	Certificates	PSE/FCC/CE etc.with extra cost
	Language	Multi-language
Accessories	Adapter	Adapter,Input 110-220V,50-60Hz,Output 12V

Estimated Delivery Time - **25 Days**

Model Numbers -

- SWX-K1304-34

SWX-66 4K LCD Digital Poster

www.swedx.co.uk

SWEDX UK

Android 11

Powerful CPU

500 Nits High Brightness

4K Ultra-Wide Display

Dual 5W Stereo Speakers

WiFi/ Ethernet

USB, HDMI & TF Card Support

Bluetooth 4.0

Features & Details

The SWX-66 is a premium 66-inch stretched bar advertising display, delivering ultra-wide 3840×720 resolution visuals with vibrant colours and sharp clarity. Powered by Android 11.0 and an Amlogic T982 processor, it ensures smooth multimedia playback and easy integration into any digital signage network. Ideal for transport hubs, retail environments, exhibitions, and corporate branding, this ultra-wide display is perfect for panoramic content and immersive advertising. Its robust IPS panel, wide viewing angles, and multiple connectivity options make it a versatile and reliable signage solution.

System	CPU	Amlogic T982
	RAM	4GB
	Internal memory	32GB
	Operation system	Android 11.0
Display	Panel	LCD IPS panel
	Resolution	3840*720 Pixel
	Display mode	Normally black ,IPS
	Viewing angle	89/89/89/89(L/R/U/D)
	Contrast ratio	1200:1
	Luminance	500cd/m2
	Response time	8ms
Network	WiFi	802.11b/g/n
	Ethernet	10M/100M ethernet
	Buletooth	Bluetooth 4.0
Interface	Card slot	TF card
	USB x 2	USB Host
	HDMI	HDMI out x1
	RJ45	RJ45
	Serial port	USB for serial port
	Power jack	DC power input
	Earphone	3.5mm earphone
Media play	Video format	MPEG1,MPEG2,MPEG4,H263.H264, VC1,RV etc (Support (720P,1080I,1080P))
	Audio format	MP3/WMA/AAC etc.
	Photo	JPEG,JPG,BMP,PNG
Others	Speaker	2*5W
	Power consumption	96W
	Working temp	-10-50degree
	Working humidity	0-80%
	Certificates	PSE/FCC/CE etc.with extra cost
	Language	Multi-language
Accessories	Adapter	Adapter.Input 110-220V,50-60Hz,Output 12V

Estimated Delivery Time - **25 Days**

Model Numbers -

- SWX-K1404-66

SWX-88 4K LCD Digital Poster

www.swedx.co.uk

SWEDX UK

- Android 11
- Powerful CPU
- 500 Nits High Brightness
- 4K Ultra-Wide Display
- Dual 5W Stereo Speakers
- WiFi/ Ethernet
- USB, HDMI & TF Card Support
- Bluetooth 4.0

Features & Details

The SWX-88 is a premium 88-inch stretched bar advertising display, delivering ultra-wide 3840×1080 resolution visuals with vibrant colours and sharp clarity. Powered by Android 11.0 and an Amlogic T982 processor, it ensures smooth multimedia playback and easy integration into any digital signage network. Perfect for large retail spaces, transport hubs, exhibitions, and corporate branding, the SWX-88 panoramic display format ensures maximum visibility, dynamic content delivery, and a premium, modern signage experience.



System	CPU	Amlogic T982
	RAM	4GB
	Internal memory	32GB
	Operation system	Android 11.0
Display	Panel	LCD IPS panel
	Resolution	3840*1080 Pixel
	Display mode	Normally black ,IPS
	Viewing angle	89/89/89/89(L/R/U/D)
	Contrast ratio	1200:1
	Luminance	500cd/m2
	Response time	8ms
Network	WiFi	802.11b/g/n
	Ethernet	10M/100M ethernet
	Buletooth	Bluetooth 4.0
Interface	Card slot	TF card
	USB x 2	USB Host
	HDMI	HDMI out x1
	RJ45	RJ45
	Serial port	USB for serial port
	Power jack	DC power input
	Earphone	3.5mm earphone
Media play	Video format	MPEG1,MPEG2,MPEG4,H263.H264, VC1,RV etc (Support (720P,1080I,1080P))
	Audio format	MP3/WMA/AAC etc.
	Photo	JPEG,JPG,BMP,PNG
Others	Speaker	2*5W
	Power consumption	96W
	Working temp	-10-50degree
	Working humidity	0-80%
	Certificates	PSE/FCC/CE etc.with extra cost
	Language	Multi-language
Accessories	Adapter	Adapter,Input 110-220V,50-60Hz,Output 12V

Estimated Delivery Time - **25 Days**

Model Numbers -

- SWX-K1504-88

SWX-50 4K LCD Digital Poster



www.swedx.co.uk

SWEDX UK

Android 11

Powerful CPU

500 Nits High Brightness

4K Ultra-Wide Display

Dual 5W Stereo Speakers

WiFi/ Ethernet

USB, HDMI & TF Card Support

Bluetooth 4.0

Features & Details

The SWX-50 is a premium 49.5-inch stretched bar advertising display, delivering ultra-wide 3840×720 resolution visuals with vibrant colours and sharp clarity. Powered by Android 11.0 and an Amlogic T982 processor, it ensures smooth multimedia playback and easy integration into any digital signage network. Ideal for retail promotions, transportation displays, and corporate branding, the SWX-50 panoramic format and versatile connectivity make it perfect for eye-catching, space-efficient visual communication.

System	CPU	Amlogic T982
	RAM	4GB
	Internal memory	32GB
	Operation system	Android 11.0
Display	Panel	LCD IPS panel
	Resolution	3840*1080 Pixel
	Display mode	Normally black ,IPS
	Viewing angle	89/89/89/89(L/R/U/D)
	Contrast ratio	1200:1
	Luminance	500cd/m2
	Response time	8ms
Network	WiFi	802.11b/g/n
	Ethernet	10M/100M ethernet
	Buletooth	Bluetooth 4.0
Interface	Card slot	TF card
	USB x 2	USB Host
	HDMI	HDMI out x1
	RJ45	RJ45
	Serial port	USB for serial port
	Power jack	DC power input
	Earphone	3.5mm earphone
Media play	Video format	MPEG1,MPEG2,MPEG4,H263.H264, VC1,RV etc (Support (720P,1080i,1080P))
	Audio format	MP3/WMA/AAC etc.
	Photo	JPEG,JPG,BMP,PNG
Others	Speaker	2*5W
	Power consumption	96W
	Working temp	-10-50degree
	Working humidity	0-80%
	Certificates	PSE/FCC/CE etc.with extra cost
	Language	Multi-language
Accessories	Adapter	Adapter,Input 110-220V,50-60Hz,Output 12V

Estimated Delivery Time - **25 Days**

Model Numbers -

- **SWX-K1604-50**